Acer Veriton N260G

Caratteristiche Principali

- Windows7 Professional
- Intel® Atom™ N280
- Intel® Graphics Media Accelerator 4500M
- 192 (L) x 192 (H) x 36 (W)

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Mini PC (1L)
- Design innovativo

Specifiche Tecniche

Sistemi Operativi supportati	Windows® 7 Professional Autentico
	Windows® XP Professional Autentico
	Linpus™ Linux®
CPU	Intel® Atom™ N280
Chipset	North Bridge: Intel GN40
	South Bridge: Intel ICH9M-E
Alloggiamenti Storage	1x 3.5"drive bay (2.5"internal)
Interfacia di rete	10/100/1000 Mbps, Independent LAN Controller Marvell 8071 with PXE support
Memoria di sistema	2 slots - DDR2 (667 MHz) Dual Channel up to 2GB Maximum Memory On Board
Interfacce di Input/output (I/O)	4x Front USB Ports, 2x Rear USB Ports, 1x PS2 Port.
	D-sub port, HDMI port
	2x Front Audio Jacks
	Ethernet (RJ-45) port
	Front Multi-in-1 card reader, supporting Secure Digital™ (SD), MultiMediaCard (MMC), xD-Picture Card™ (xD), Memory Stick™ (MS)
Espandibilità Input/Output (I/O)	1x PCIe x 1 slot (mini PCIe)
Audio	Realtek ALC662 Embedded high-definition audio with 2-channel support
Scheda grafica	Intel® Graphics Media Accelerator 4500M
	Intel® Dynamic Video Memory Technology (DVMT) 5.0 support
Tastiera e Mouse	PS2 or USB, USB Optical Mouse
Dimensioni (mm)	192 (L) x 192 (H) x 36 (W)
Software di gestione	Veriton ControlCenter (Acer eSettings Management, Acer eLock Management)
	Acer Client Manager 60 days free
	Acer Security Suite
	Acer PowerSaver
	Acer QuickMigration
	Acer Smartboot
	Acer Veriton HelpDesk
	Anti-Virus 60 days free
	Acer eRecovery Management
	Adobe® Reader®
	CyberLink® PowerDVD™
Sicurezza	HDD password support and Kensington Lock
	OneButton Recovery
Standard Industriali	PC 2001, ENERGY STAR® 4.0 compliance
Alimentatore	Power Supply: 65W
Garanzia	1 year carry in
Monitor	Optional Acer 19"4:3 or Acer 19"W 16:9
Certificazioni	CE, FCC, BSMI, CCC, Nemko (CB & Bauart), VCCI, MET

Modello	Part Number	Listino	
Acer Veriton N260G Linpus® Linux® X Window , Intel Atom N280 1.66 GHz, 1GB DDR2, 160 GB 2.5"5400RPM, VGA Intel® Graphics Media Accelerator 4500M (on-board) HDMI, no DVD, Card Reader multi formato, tastiera e Mouse non inslcusi	PZ.RCDYZ.PI0	EUR 215.00	
Acer Veriton N260G Windows® 7 Professional Autentico , Intel Atom N280 1.66 GHz, 2x1GB DDR2, 320 GB 2.5"5200 RPM, VGA Intel® Graphics Media Accelerator 4500M (on-board) fino a 821MB - HDMI, no DVD, Card Reader multiformato, tastiera PS/2 e Mouse USB, Windows® XP Professional (Dual Load) - Office Ready	P1.RCPYZ.PUZ	EUR 357.00	

Acer Veriton Z280G

Caratteristiche Principali

- Windows7 Professional
- Intel® Atom™ N270 processor
- Intel® 945GSE Express Chipset
- 18.5”widescreen with 16:9 aspect ratio

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- All in One
- Silenziosità e consumi ridotti
- Connettività

Specifiche Tecniche

Sistemi Operativi supportati	Windows® 7 Professional Autentico
	Windows® XP Professional Autentico
CPU	Intel® Atom™ N270 processor
Chipset	Intel® 945GSE Express Chipset
Memoria	Up to 2 GB of DDR2 533 MHz SDRAM (single-channel support on one DIMM)
monitor	18.5”widescreen with 16:9 aspect ratio
	1366 x 768 native resolution
	5 ms response time
	250 nits (cd/m2) brightness
	1000:1 (ACM) contrast ratio
Disco Fisso	Serial ATA hard disk up to 250 GB
	Solid state drive up to 16 GB
	Specifications vary depending on model
Disposivo	SuperMulti
Card reader	Multi-in-1 card reader, supporting:MultiMediaCard (MMC) Secure Digital™ (SD) Card Memory Stick™ Memory Stick PRO™
	Specifications vary depending on model
Scheda Grafica	Intel® Graphics Media Accelerator 950
Audio	Embedded high-definition audio
Interfaccia di rete	LAN: Gigabit Ethernet
	WLAN (Optional): Integrated 802.11b/g/Draft-N or 802.11b/g
Interfacce di Input/Output (I/O)	Side:Two USB 2.0 ports Multi-in-1 card reader High-definition headphone and microphone jacks Brightness-control button
.	Rear:Three USB 2.0 ports PS/2 keyboard and mouse ports Ethernet (RJ-45) port Audio jack
Software di gestione	Acer eRecovery Management
	Acer Client Manager
	Acer Security Suite
	Microsoft® Office 2007 (Ready/Trial) Service Pack 1
	McAfee® Internet Security Suite 2009 Trial
	Adobe® Reader®
	CyberLink® PowerDVD™
	Google Toolbar™ and Desktop Search™
Dimensioni	484 (W) x 380.9 (H) x 54.55(D) mm
BIOS	Phoenix BIOS compatible with SMBIOS 2.4
Compatibilità	PC 2001, ENERGY STAR ®
Certificazioni	FCC, CE, BSMI, VCCI, CB, Bauart, MET
Garanzia	Limited Warranty

Modello	Part Number	Listino	
Acer Veriton Z280G Windows® 7 Professional Autentico , All In One con LCD da 18”- Intel Atom N270, 2GB DDR2, 320 GB 2.5”5200RPM, VGA Intel® Graphics Media Accelerator 950 (on-board) fino a 821MB, DVD RW Super Multi, tastiera e Mouse PS/2, Wi-Fi, Windows® XP Professional (Dual Load) - Office Ready	PL.YXETZ.PUZ	EUR 540.00	

Acer Veriton M421G

Caratteristiche Principali

- AMD Athlon™ X2 dual-core processor AMD Athlon™ processor
- North Bridge: AMD RS780G South Bridge: AMD SB700
- Fino a 8GB DDR2 667/800MHz SDRA (dual-channel support on four DIMMs)
- Grafica ATI HD3200 con ATI SurroundView™ e dual-view support PCI Express® 2.0 x16 graphics card support DirectX10 ATI Hybrid Graphics support

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Eccellenti prestazioni
- PC “green”, rispetta l’ambiente

Specifiche Tecniche

Sistemi Operativi supportati	Windows® 7 Professional Autentico Windows® XP Professional Autentico
CPU & Chipset	AMD Athlon™ X2 dual-core processor AMD Athlon™ processor
	North Bridge: AMD RS780G South Bridge: AMD SB700
Alloggiamenti Storage	Two 5.25”drive bays Six 3.5”drive bays (2 x external, 4 x internal)
Interfaccia di rete	Gigabit ethernet Independent LAN Controller: Marvell 8071
Memoria di sistema	Up to 8GB DDR2 667/800MHz SDRA (dual-channel support on four DIMMs)
Interfacce di Input/Output (I/O)	Front I/O ports: • Four USB 2.0 ports • Headphone and microphone jacks Rear I/O ports: • Four USB 2.0 ports • PS/2 keyboard and mouse ports • Ethernet (RJ-45) port • Six audio jacks • VGA port • DVI-D port • Serial port
Espandibilità Input/Output (I/O)	PCI Express® x16 slot PCI Express® x1 slot Two PCI v2.3 (5V) slots
Scheda grafica	ATI HD3200 graphics with ATI SurroundView™ and dual-view support PCI Express® 2.0 x16 graphics card support DirectX10 ATI Hybrid Graphics support
Audio	Embedded high-definition audio with 7.1-channel audio support - Realtek ALC888S
Tastiera e Mouse	USB or PS/2 keyboard USB or PS/2 optical mouse
Sicurezza	Anti-virus 60 days free Acer eLock Management Acer TPM-based eDataSecurity Management Lock pad and intrusion alert OneButton Recovery Padlock and Kensington lock slots
Dimensioni	181.5(W) x 451.3(D) x 376.9(H)
Software di gestione	Acer Empowering Technology (eRecovery, eLock, eSetting Management)
Garanzia	1 year carry-in
Alimentatore	300W
Standard Industriali	PC 2001, ENERGY STAR® 4.0
Certificazioni	FCC, CE, BSMI, CCC, Nemko, CB, Bauart, GS, MET

Modello	Part Number	Listino	
Acer Veriton M421G Windows® 7 Professional Autentico , AMD Athlon 1640B 2.7GHz, 1GB DDR2, 320GB 7200RPM SATA-II, VGA ATI/AMD Radeon 3200 (on-board) fino a 319MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load) - Office Ready	P1.S5D7Z.P7Z	EUR 337.00	
Acer Veriton M421G Windows® 7 Professional Autentico , AMD Athlon X2 5400B 2.8GHz, 2GB DDR2, 320GB 7200RPM SATA-II, VGA ATI/AMD Radeon 3200 (on-board) fino a 895MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load) - Office Ready	P1.SBE7Z.P7Z	EUR 393.00	
Acer Veriton M421G Windows® 7 Professional Autentico , AMD Athlon X2 5400B 2.8GHz, 2GB DDR2, 320GB 7200RPM SATA-II, VGA ATI/AMD Radeon 3200 (on-board) fino a 895MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load) - Office Ready	P0.SBE7Z.P7Z	EUR 393.00	

Acer Veriton S421G

Caratteristiche Principali

- AMD Athlon™ X2 dual-core processor
- Fino a 8 GB DDR2 667/800 MHz SDRAM (dual-channel support on four DIMMs)
- Grafica ATI Radeon™ HD 3200 con ATI SurroundView™ e supporto dual-view
- 135 (W) x 395 (D) x 335 (H) mm

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Prestazioni di eccellenza
- PC “green”, rispetta l’ambiente

Specifiche Tecniche

Sistemi Operativi supportati	Windows® 7 Professional Autentico
	Windows® XP Professional Autentico
CPU and Chipset	AMD Phenom™ X4 quad-core processor
	AMD Athlon™ X2 dual-core processor
	AMD Athlon™ processor
	AMD Sempron™ processor
	North Bridge: AMD RS780 Chipset
	South Bridge: AMD SB700
Alloggiamenti Storage	1x 5.25”drive bay
	4x 3.5”drive bays (two external, two internal)
Interfaccia di rete	Gigabit, Independent LAN Controller Marvell 8071
Memoria di sistema	Up to 8 GB DDR2 667/800 MHz SDRAM (dual-channel support on four DIMMs)
Interfacce di Input/Output (I/O)	2x USB 2.0 ports (front)
	High-definition headphone and microphone jacks (front)
	4x USB 2.0 ports (rear)
	PS/2 keyboard and mouse ports (rear)
	Serial port (rear)
	D-sub port, DVI port (rear)
	Ethernet (RJ-45) port (rear)
	Six audio ports (rear)
Espandibilità Input/output (I/O)	1x PCI Express® 2.0 x16 slot
	1x PCI Express® 2.0 x1 slot
	2x PCI v2.3 (5 V) slots
Scheda grafica	ATI Radeon™ HD 3200 Graphics with ATI SurroundView™ and dual-view support
	ATI Hybrid Graphics support
	Microsoft® DirectX® 10 support
Audio	Embedded high-definition audio with 7.1-channel, Realtek ALC888S
Tastiera e Mouse	USB or PS/2 keyboard and mouse
Sicurezza	Acer eLock Management
	Acer TPM-based eDataSecurity Management
	Padlock and Kensington lock slots
	Lock pad and intrusion alert
	OneButton Recovery
Dimensioni	135 (W) x 395 (D) x 335 (H) mm
Software di gestione	Veriton ControlCenter (QuickMigration, PowerSaver, SmartBoot, HelpDesk)
	Acer Empowering Technology (eLock, eRecovery, eSettings Management)
	Microsoft® Office 2007 (Ready/Trial) Service Pack 1
	Anti-virus 60 days free
	Acer Security Suite with Wave® EMBASSY® Trust Suite
	Adobe® Reader®
	CyberLink® PowerDVD®
	NTI Media Maker™
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)
Standard industriali	AMI PnP BIOS compatible with SMBIOS 2.4, PC 2001, Energy Star®, EPEAT™
Alimentatore	300W
Certificazioni	FCC, CE, BSMI, CCC, Nemko, CB, Bauart, GS, MET

Modello	Part Number	Listino	
Acer Veriton S421G Windows® 7 Professional Autentico , AMD Athlon II X2 215 2.7GHz, 2GB DDR2, 320GB 7200RPM SATA-II, VGA ATI/AMD Radeon 3200 (on-board) fino a 895MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load) - Office Ready	P1.U5E7Z.P7Z	EUR 409.00	
Acer Veriton S421G Windows® 7 Professional Autentico , AMD Athlon II X2 215 2.7GHz, 2GB DDR2, 320GB 7200RPM SATA-II, VGA ATI/AMD Radeon 3200 (on-board) fino a 895MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load) - Office Ready	P0.U5E7Z.P7Z	EUR 409.00	

Acer Veriton M265

Caratteristiche Principali

- Intel® Pentium Dual Core™ Intel® Core 2 Duo™
- Intel® G31 Express Chipset
- Intel Graphics Media Accelerator(GMA) 3100
- Acer Empowering Technology

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- CPU di ultima generazione
- Facilità di utilizzo e di espandibilità

Specifiche Tecniche

Sistemi Operativi supportati	Windows® 7 Professional Autentico
	Windows® XP Professional Autentico
CPU & Chipset	Intel® Core™2 Quad processor
	Intel® Pentium Dual Core™
	Intel® Core 2 Duo™
	Intel® G31 Express Chipset
	ICH7DH South Bridge
Alloggiamenti Storage	Two 5.25"drive bays
	Six 3.5"drive bays (2 external / 4 internal)
Interfaccia di rete	Embedded 10/100/1000 base TX Ethernet controller
Memoria di sistema	2 x DDR2 667/800 Socket (Dual channel support)
	Maximum 4GB
Interfacce di Input / Output (I/O)	1 x Parallel, 1 x Serial
	PS2/USB Optical/Ball Mouse, PS2/USB Keyboard
	6 x USB ports (2 front, 4 rear)
	1 VGA port
	1 Gigabit Ethernet Port
	8 ports jack support HD audio output
Espandibilità Input / Output (I/O)	Two PCI slots
	1 x PCI Express™ X16 slot
	1 x PCI Express™ X1 slot
Scheda grafica	Intel Graphics Media Accelerator(GMA) 3100
	PCI-e x16 VGA Add-On Card (Option)
Audio	Embedded CODEC Realtek ALC888S with 7.1 channel audio support.
Tastiera	PS2/USB keyboard
Monitor	choice of Acer CRT or LCD monitor
Sicurezza	Acer Empowering Technology
	Lock pad
Dimensioni	180(W) x 441.5(D) x 367(H)
Software di gestione	Acer Empowering Technology
	Acer Client Manager Powered by ALTIRIS
	Anti-virus 60 days free
	Adobe® Reader®
	Cyberlink® PowerDVD™ for DVD SKU
	NTI MediaMaker™ for DVD Burner SKU
Garanzia	1 year carry in
Standard industriali	PnP BIOS compatible with SMBIOS 2.4, PC2001
Alimentatore	250W
Certificazioni	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL

Modello	Part Number	Listino	
Acer Veriton M265 Windows® 7 Professional Autentico , Intel E5400 (2.7GHz 2MB), 1GB DDR2, 160GB 7200RPM SATA-II, VGA Intel® GMA 3100 (on-board) fino a 310MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load) - Office Ready	P1.C7D7Z.PFZ	EUR 348.00	
Acer Veriton M265 Windows® 7 Professional Autentico , Intel E5400 (2.7GHz 2MB), 2GB DDR2, 320GB 7200RPM SATA-II, VGA Intel® GMA 3100 (on-board) fino a 310MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load) - Office Ready	P1.C7E7Z.P7Z	EUR 384.00	
Acer Veriton M265 Windows® 7 Professional Autentico , Intel E5400 (2.7GHz 2MB), 2GB DDR2, 320GB 7200RPM SATA-II, VGA Intel® GMA 3100 (on-board) fino a 310MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load) - Office Ready	P0.C7E7Z.P7Z	EUR 384.00	

Acer Veriton X480G

Caratteristiche Principali

- North Bridge: Intel® G43 Express Chipset
- Fino a 8 GB DDR3 800/1066 MHz SDRAM (dual-channel support on four DIMMs)
- 101.5(W) x 396.84(D) x 266.5(H) mm (with bezel)
- PC 2001, ENERGY STAR® 5.0

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Efficiente e compatto
- Risparmio energetico

Specifiche Tecniche

Sistemi Operativi supportati	Windows® 7 Professional Autentico
	Windows® XP Professional Autentico
	Free DOS
CPU	Intel® Core™2 Quad processor
	Intel® Core™2 Duo processor
	Intel® Pentium® processor
Chipset	North Bridge: Intel® G43 Express Chipset
	South Bridge: ICH10R
Alloggiamenti Storage	1x 5.25"drive bay
	1x 3.5"drive bay (internal)
Interfaccia di rete	LAN: Gigabit Ethernet; Independent LAN Controller: Broadcom 5764M
Memoria di sistema	Up to 8 GB DDR3 800/1066 MHz SDRAM (dual-channel support on four DIMMs)
Interfacce di Input/Output (I/O)	Four USB 2.0 ports (Fort)
	High-definition headphone and microphone jacks (Front)
	Six USB 2.0 ports (Rear)
	PS/2 keyboard and mouse ports (Rear)
	Ethernet (RJ-45) port (Rear)
	Three audio ports (Rear)
	eSATA port (Rear)
	Serial port (Rear)
	DVI-D port (Rear)
Espandibilità Input/output (I/O)	1x PCI Express® 2.0 x16 slot
	1x PCI Express® 2.0 x1 slot
Scheda grafica	Intel® Graphics Media Accelerator X4500 (Intel® GMA X4500)
	Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) support
	Intel® Clear Video Technology
	Microsoft® DirectX® 10 support
Audio	Embedded high-definition audio with 5.1-channel surround sound support
	Realtek ALC662-VC
Sicurezza	Acer eLock Management
	Kensington & Pad lock
	Intrusion alert
	OneButton Recovery
Hard Disk	Serial ATA hard disk
Dimensioni	101.5(W) x 396.84(D) x 266.5(H) mm (with bezel)
Software di gestione	Acer eRecovery Management
	Veriton ControlCenter (Acer eLock Management, Acer eSettings Management, QuickMigration, PowerSaver, SmartBoot, HelpDesk)
	Acer Client Manager
	Acer Security Suite
	Microsoft® Office 2007 Ready
	Anti-virus 60 days free
	Adobe® Reader®
	CyberLink® PowerDVD®
	NTI Media Maker
Standard industriali	PC 2001, ENERGY STAR® 5.0
Certificazioni	UL, VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & GS)
Alimentatore	220W
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)

Modello	Part Number	Listino	
Acer Veriton X480G Free DOS , Intel E5400 (2.7GHz 2MB), 1GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board), DVD RW Super Multi, tastiera e Mouse PS2	P1.X7D7Z.P77	EUR 265.00	
Acer Veriton X480G Windows® 7 Professional Autentico , Intel E5400 (2.7GHz 2MB), 2GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 821MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load) - Office Ready	P1.X7E7Z.P7Z	EUR 398.00	
Acer Veriton X480G Windows® 7 Professional Autentico , Intel Core 2 Duo E7500 (2.93GHz 3MB), 2GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 821MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load) - Office Ready	P1.XRE7Z.P7Z	EUR 470.00	

Acer Veriton M480G

Caratteristiche Principali

- Intel® Core™2 Quad processor Intel® Core™2 Duo processor Intel® Pentium® processor
- North Bridge: Intel® G43 South Bridge: ICH10R
- 4 x DDR3 800MHz / 1066MHz Dual channel SDRAM
- AMI PnP BIOS compatible with SMBIOS 2.5, PC 2001, Energy Star®, EPEAT® Silver

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Prestazioni di eccellenza
- Acer Client Manager
- Rispetta l'ambiente

Specifiche Tecniche

Sistemi Operativi supportati	Windows® 7 Professional Autentico
	Windows® XP Professional Autentico
CPU & Chipset	Intel® Core™2 Quad processor Intel® Core™2 Duo processor Intel® Pentium® processor
	North Bridge: Intel® G43 South Bridge: ICH10R
Alloggiamenti Storage	2 x external 5.25"drive bays
	6 x 3.5"bays (two external, four internal)
Interfaccia di rete	10/100/1000 Mbps, Independent LAN Controller Marvell 88E8071
Memoria di sistema	4 x DDR3 800MHz / 1066MHz Dual channel SDRAM
	Maximum 8GB
Interfacce di Input/Output (I/O)	2x PS/2 ports
	1x RS232 serial port, 1x Serial Port on board header
	1x DVI-D port
	1x VGA (D-sub) port
	10x USB 2.0 ports (four front, six rear)
	1x ethernet (RJ-45) port
	3x rear audio jacks and 2x front audio jacks for 5.1 channel audio
	HD headphone and microphone jacks
Espandibilità Input/Output (I/O)	1 x PCI Express® 2.0 x1 slot
	1 x PCI Express® 2.0 x16 slot
	2 x PCI v2.3 (5 V) slots
Scheda grafica	Intel® G43 graphics solution, featuring: - Intel® Graphics Media Accelerator 4500 - Intel® Clear Video Technology - Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) support - Microsoft® DirectX® 10 support
Audio	Embeded high-definition audio with 5.1 channel Realtek ALC662-VC
Tastiera e Mouse	PS/2 or USB keyboard and USB optical mouse
Monitor	Optional Acer 19"4:3, Acer 19"W 16:9 or Acer 17"4:3
Sicurezza	Acer eLock Management
	Intrusion alert
	One Button Recovery
	Padlock and Kensington lock slot
Dimensioni	180 (W) x 440 (D) x 352 (H) (with bezel)
Software di gestione	Acer Empowering Technology
	Acer Client Manager
	Anti-virus 60 days free
	Microsoft Office 2007 (Ready/Trial) Service Pack 1
	Cyberlink® PowerDVD™
	Veriton ControlCenter (QuickMigration, PowerSaver, SmartBoot, HelpDesk)
	Acer Security Suite with Wave® EMBASSY® Trust Suite
	Adobe® Reader®
	NTI Media Maker™
	Intel® Matrix Storage Manager
Garanzia	1 year carry-in
Standard industriali	AMI PnP BIOS compatible with SMBIOS 2.5, PC 2001, Energy Star®, EPEAT® Silver
Alimentatore	300W
Certificazioni	UL, VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & GS)

Modello	Part Number	Listino	
Acer Veriton M480G Windows® 7 Professional Autentico , Intel E5400 (2.7GHz 2MB), 3GB DDR3, 640GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 1334MB, DVD RW Super Multi, tastiera e Mouse PS2, porta LPT, Windows® XP Professional (Dual Load) - Office Ready	P1.F7M7Z.PCZ	EUR 445.00	
Acer Veriton M480G Windows® 7 Professional Autentico , Intel E5400 (2.7GHz 2MB), 3GB DDR3, 640GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 1334MB, DVD RW Super Multi, tastiera e Mouse PS2, porta LPT, Windows® XP Professional (Dual Load) - Office Ready	P0.F7M7Z.PCZ	EUR 445.00	
Acer Veriton M480G Windows® 7 Professional Autentico , Intel Core 2 Duo E7500 (2.93GHz 3MB), 2GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 821MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load) - Office Ready	P1.FRE7Z.P7Z	EUR 470.00	
Acer Veriton M480G Windows® 7 Professional Autentico , Intel Core 2 Duo E7500 (2.93GHz 3MB), 2GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 821MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load) - Office Ready	P0.FRE7Z.P7Z	EUR 470.00	

Acer Veriton L480G

Caratteristiche Principali

- Intel® Core™2 Duo processor
- Intel® Pentium® processor
- North Bridge: Intel® G43 Express Chipset
- 250 (H) x 193 (D) x 60 (W) mm (without bezel)

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Prestazioni di eccellenza
- Rispetta l'ambiente
- Il PC energy-efficient

Specifiche Tecniche

Sistemi Operativi supportati	Windows® 7 Professional Autentico
	Windows® XP Professional Autentico
CPU	Intel® Core™2 Quad processor (up to 1333 MHz)
	Intel® Core™2 Duo processor
	Intel® Pentium® processor
	Intel® Celeron® processor
Chipset	North Bridge: Intel® G43 Express Chipset
	South Bridge: ICH10R
Interfaccia di rete	Gigabit Ethernet, Independent LAN Controller: Marvell 88E8071
System Memory	Up to 4 GB of DDR3 800/1066 MHz SDRAM (dual-channel support on two DIMMs)
Interfacce di Input/Output (I/O)	Four USB 2.0 ports (Front)
	High-definition headphone and microphone jacks (Front)
	Four USB 2.0 ports (Rear)
	Ethernet (RJ-45) port (Rear)
	Three audio ports (Rear)
	1x eSATA port (Rear)
	Serial port (Rear)
	Parallel port (Rear)
	DVI-D port (Rear)
	VGA port (Rear)
Scheda grafica	Intel® Graphics Media Accelerator X4500
	Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) support
	Intel® Clear Video Technology
	Microsoft® DirectX® 10 support
Audio	Embedded high-definition audio with 5.1-channel surround sound support, Realtek ALC662-VC
Sicurezza	Acer eLock Management
	Kensington lock slot
	OneButton Recovery
Disco Fisso	Serial ATA hard disk
Dimensioni	250 (H) x 193 (D) x 60 (W) mm (without bezel)
Software di gestione	Acer eRecovery Management
	Veriton ControlCenter (Acer eLock Management, Acer eSettings Management, QuickMigration, PowerSaver, SmartBoot, HelpDesk
	Acer Client Manager
	Microsoft Office 2007 (Ready)
	Anti-virus 60 days free
	Acer Security Suite
	Adobe® Reader®
	CyberLink® PowerDVD®
	NTI Media Maker™
Standard industriali	PC 2001, ENERGY STAR® 5.0, GS.
Certificazioni	FCC, CE, MET, Nemko (CB & Bauart)
Alimentatore	135 W
Garanzia	1 year carry-in

Modello	Part Number	Listino	
Acer Veriton L480G Windows® 7 Professional Autentico , Intel E5400 (2.7GHz 2MB), 2GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 821MB, DVD RW Super Multi, tastiera multimediale e Mouse USB, Win XP Professional (Downgrade Kit)	P2.W7ETZ.P7Z	EUR 439.00	
Acer Veriton L480G Windows® 7 Professional Autentico , Intel Core 2 Duo E7500 (2.93GHz 3MB), 2GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 821MB, DVD RW Super Multi, tastiera multimediale e Mouse USB, Win XP Professional (Downgrade Kit)	P2.WRETZ.P7Z	EUR 510.00	

Acer Veriton L670G

Caratteristiche Principali

- CPU Intel® Core™2 Duo processor (inclusa serie Intel® vPro™)
- Chipset Intel® Q45 Express Chipset + ICH10DO
- Una porta eSATA (Storage)
- 250 (L) x 60 (H) x 193 (D)mm

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Rispetta l'ambiente
- Ingombro ridotto (3Litri)

Specifiche Tecniche

Sistemi Operativi supportati	Windows® 7 Professional Autentico
	Windows® XP Professional Autentico
CPU & Chipset	CPU Intel® Core™2 Quad processor (inclusa serie Intel® vPro™)
	CPU Intel® Core™2 Duo processor (inclusa serie Intel® vPro™)
	Chipset Intel® Q45 Express Chipset + ICH10DO
Interfaccia di rete	LAN Gigabit 10/100/1000Mbp/s integrata su Controller Ethernet Intel 82567LM
Memoria di sistema	Due (2) Slot SODIMM di tipo DDR2 Dual channel 667/800Mhz
	Massimo 4GB complessiva
Interfacce di Input/Output (I/O)	Otto porte USB 2.0 (4 frontali, 4 retro)
	Una porta VGA
	Una porta DVI -D
	Una porta eSATA (Storage)
	Due porte Audio frontali (cuffia e microfono)
	Sei porte Audio nel retro (supporto 7.1 Channel)
	Una porta Gigabit LAN (RJ-45)
	Una porta seriale (tipo RS232)
Espandibilità Input/output (I/O)	Una porta Mini PCIe v1.1 (no Slot esterno)
Scheda grafica	Integrata su Motherboard e basata su Chipset Intel® Q45, caratteristiche: - Motore grafico Intel® Graphics Media Accelerator 4500 - Tecnologia Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) - Supporto Microsoft® DirectX® 10
Audio	Audio High-Definition (HD) 7.1 Channel integrato basato su CODEC Audio Realtek ALC888S-VC2
Tastiera e Mouse	Mouse e tastiera USB o Wireless (se previsto nel modello specifico)
Monitor	Non incluso (scegli un Monitor LCD Acer)
Sicurezza	Acer eLock Management
	Embedded TPM solution with Acer TPM-based eDataSecurity Management software
	One Button Recovery
	Kensington lock
Dimensioni	250 (L) x 60 (H) x 193 (D)mm
Software di gestione	Strumenti di gestione Acer Empowering Technology
	Anti Virus in versione Trial 60 gg
	Microsoft Office 2007 (Ready/Trial) Service Pack 1
	Cyberlink® PowerDVD™
	NTI Media Maker
	Softare Veriton ControlCenter (QuickMigration, PowerSaver, SmartBoot, HelpDesk)
	Adobe® Reader®
	Acer Client Manager
	Acer Security Suite with Wave® EMBASSY® Trust Suite
Garanzia	3 anni (1 anno On Site, 2 anni Carry In) - scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site
Standard industriali	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL, VCCI, MET, Eenrgy Star 4.0
Alimentatore	Potenza: 135W AC (esterno di tipo Fanless)
Certificazioni	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL, VCCI, MET, Energy Star®

Modello	Part Number	Listino	
Acer Veriton L670G Windows® 7 Professional Autentico , Intel Core 2 Quad Q9300 C2Q 2.5GHz 6MB, 4GB DDR2, 640GB 7200RPM, VGA Intel® Graphics Media Accelerator 4500 (on-board) fino a 1342MB, DVD RW Super Multi, tastiera multimediale e Mouse USB, Wi-Fi, Windows® XP Professional (Dual Load) - vPRO	P2.A3RTZ.PCZ	EUR 643.00	

Acer Veriton S670G

Caratteristiche Principali

- CPU Intel® Core™2 Quad processor (inclusa serie Intel® vPro™) CPU Intel® Core™2 Duo processor (inclusa serie Intel® vPro™)
- Chipset Intel® Q45 Express Chipset + ICH10DO (RAID 1,0 abilitabile)
- Uscita DVI -D
- 135 (W) x 395 (D) x 335 (H) mm

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Rispetta l'ambiente
- Veriton Control Center

Specifiche Tecniche

Sistemi Operativi supportati	Windows® 7 Professional Autentico
	Windows® XP Professional Autentico
CPU & Chipset	CPU Intel® Core™2 Quad processor (inclusa serie Intel® vPro™)
	CPU Intel® Core™2 Duo processor (inclusa serie Intel® vPro™)
	Chipset Intel® Q45 Express Chipset + ICH10DO (RAID 1,0 abilitabile)
Alloggiamenti Storage	5.25": un alloggiamento esterno - 3.5": quattro alloggiamenti (2 esterni + 2 interni)
Interfaccia di rete	LAN Gigabit 10/100/1000Mbp/s integrata su Controller Ethernet Intel 82567LM
Memoria di sistema	Quattro (4) Slot DIMM SDRAM di tipo DDR3 (800MHz/1066MHz) ad accesso Dual Channel (Massimo 8GB complessiva)
Interfacce di Input/Output (I/O)	Due porte PS/2
	Una porta seriale (tipo RS232)
	Una porta VGA + Una porta DVI –D
	Dieci porte USB 2.0 (4 frontali, 6 retro)
	Una porta Gigabit LAN (RJ-45)
	Sei porte Audio nel retro (supporto 7.1 Channel)
	Due porte Audio frontali (cuffia e microfono)
Espandibilità Input/output (I/O)	Uno Slot PCI Express® 2.0 x1
	Uno Slot PCI Express® 2.0 x16
	Due Slot PCI v2.3 (5 V)
	Una connessione per porta LPT parallela (cavo opzionale qualora nn indicato in configurazione)
Scheda grafica	Integrata su Motherboard e basata su Chipset Intel® Q45, caratteristiche: - Motore grafico Intel® Graphics Media Accelerator 4500 - Tecnologia Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) - Supporto Microsoft® DirectX® 10
Audio	Audio High-Definition (HD) 7.1 Channel integrato basato su CODEC Audio Realtek ALC888S-VC2
Tastiera e Mouse	Mouse e tastiera USB
Monitor	Non incluso (scegli un Monitor LCD Acer)
Sicurezza	Acer eLock Management
	Embedded TPM solution with Acer TPM-based eDataSecurity Management software
	One Button Recovery
	Padlock and Kensington lock
Dimensioni	135 (W) x 395 (D) x 335 (H) mm
Software di gestione	Strumenti di gestione Acer Empowering Technology
	Anti Virus in versione Trial 60 gg
	Intel® Active Management Technology 5.0 (Intel® AMT 5.0)
	Microsoft Office 2007 (Ready/Trial) Service Pack 1
	Cyberlink® PowerDVD™
	NTI Media Maker
	Veriton ControlCenter (QuickMigration, PowerSaver, SmartBoot, HelpDesk)
	Acer Security Suite with Wave® EMBASSY® Trust Suite
	Intel® Matrix Storage Manager 8.5
	Adobe® Reader®
Garanzia	3 anni (1 anno On Site, 2 anni Carry In)
Standard industriali	BIOS compatibile SMBIOS 2.5, PC 2001, ENERGY STAR® 4.0, EPEAT, Intel® vPro™ (Intel® AMT 5.0), GS
Alimentatore	Potenza: 300W
Certificazioni	UL, VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & Bauart)

Modello	Part Number	Listino	
Acer Veriton S670G Windows® 7 Professional Autentico , Intel Core 2 Duo E7500 (2.93GHz 3MB), 3GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 1334MB, DVD RW Super Multi, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Fast Recovery Solution Hardware, Windows® XP Professional (Dual Load) - Office Ready	P1.KRM7Z.P7Z	EUR 540.00	
Acer Veriton S670G Windows® 7 Professional Autentico , Intel Core 2 Duo E7500 (2.93GHz 3MB), 3GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 1334MB, DVD RW Super Multi, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Fast Recovery Solution Hardware, Windows® XP Professional (Dual Load) - Office Ready	P0.KRM7Z.P7Z	EUR 540.00	
Acer Veriton S670G Windows® 7 Professional Autentico , Intel Core 2 Duo E8500 (3.16GHz 6MB), 3GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 1334MB, DVD RW Super Multi, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Fast Recovery Solution Hardware, Windows® XP Professional (Dual Load) - Office Ready - vPRO	P1.KKM7Z.P7Z	EUR 673.00	
Acer Veriton S670G Windows® 7 Professional Autentico , Intel Core 2 Duo E8500 (3.16GHz 6MB), 3GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 1334MB, DVD RW Super Multi, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Fast Recovery Solution Hardware, Windows® XP Professional (Dual Load) - Office Ready - vPRO	P0.KKM7Z.P7Z	EUR 673.00	

Acer Veriton M670G

Caratteristiche Principali

- CPU Intel® Core™2 Quad processor (inclusa serie Intel® vPro™) CPU Intel® Core™2 Duo processor (inclusa serie Intel® vPro™)
- Chipset Intel® Q45 Express Chipset + ICH10DO (RAID 1,0, 5, 1+0 abilitabile)
- Quattro (4) Slot DIMM SDRAM di tipo DDR3 (800MHz/1066MHz) ad accesso Dual Channel
- Uscita DVI -D

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Rispetta l'ambiente
- Veriton Control Center

Specifiche Tecniche

Sistemi Operativi supportati	Windows® 7 Professional Autentico
	Windows® XP Professional Autentico
CPU & Chipset	CPU Intel® Core™2 Quad processor (inclusa serie Intel® vPro™) CPU Intel® Core™2 Duo processor (inclusa serie Intel® vPro™)
	Chipset Intel® Q45 Express Chipset + ICH10DO (RAID 1,0, 5, 1+0 abilitabile)
Alloggiamenti Storage	5.25": due alloggiamenti esterni - 3.5": sei alloggiamenti (2 esterni + 4 interni)
Interfaccia di rete	LAN Gigabit 10/100/1000Mbp/s integrata su Controller Ethernet Intel 82567LM
Memoria di sistema	Quattro (4) Slot DIMM SDRAM di tipo DDR3 (800MHz/1066MHz) ad accesso Dual Channel
	Massimo 8GB complessiva
Interfacce di Input/Output (I/O)	Due porte PS/2
	Una porta seriale (tipo RS232)
	Una porta VGA, Una porta DVI -D
	Dieci porte USB 2.0 (4 frontali, 6 retro)
	Una porta Gigabit LAN (RJ-45)
	Sei porte Audio nel retro (supporto 7.1 Channel)
	Due porte Audio frontali (cuffia e microfono)
Espandibilità Input/output (I/O)	Uno Slot PCI Express® 2.0 x1
	Uno Slot PCI Express® 2.0 x16
	Due Slot PCI v2.3 (5 V)
	Una connessione per porta LPT parallela (cavo opzionale qualora nn indicato in configurazione)
Scheda grafica	Integrata su Motherboard e basata su Chipset Intel® Q45, caratteristiche: - Motore grafico Intel® Graphics Media Accelerator 4500 - Tecnologia Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) - Supporto Microsoft® DirectX® 10
Audio	Audio High-Definition (HD) 7.1 Channel integrato basato su CODEC Audio Realtek ALC888S-VC2
Tastiera e Mouse	Mouse e tastiera USB o PS/2
Monitor	Non incluso (scegli un Monitor LCD Acer)
Sicurezza	Acer eLock Management & Padlock and Kensington lock
	Embedded TPM solution with Acer TPM-based eDataSecurity Management software
	One Button Recovery
Dimensioni	180(W) x 352(D) x 440(H)mm
Software di gestione	Strumenti di gestione Acer Empowering Technology
	Anti Virus in versione Trial 60 gg
	Intel® Active Management Technology 5.0 (Intel® AMT 5.0)
	Microsoft Office 2007 (Ready/Trial) Service Pack 1
	Cyberlink® PowerDVD™
	NTI Media Maker
	Veriton ControlCenter (QuickMigration, PowerSaver, SmartBoot, HelpDesk)
	Acer Security Suite with Wave® EMBASSY® Trust Suite
	Intel® Matrix Storage Manager 8.5
	Adobe® Reader®
Garanzia	3 anni (1 anno On Site, 2 anni Carry In)
Standard industriali	BIOS compatibile SMBIOS 2.5, PC 2001, ENERGY STAR® 4.0, EPEAT, Intel® vPro™ (Intel® AMT 5.0), GS
Alimentatore	Potenza: 300W
Certificazioni	UL, VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & Bauart)

Modello	Part Number	Listino	
Acer Veriton M670G Windows® 7 Professional Autentico , Intel Core 2 Duo E8500 (3.16GHz 6MB), 2GB DDR3, 640GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 821MB, DVD RW Super Multi, Card Reader multiformato, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Windows® XP Professional (Dual Load) - Office Ready - vPRO	P1.IKE7Z.PCZ	EUR 693.00	
Acer Veriton M670G Windows® 7 Professional Autentico , Intel Core 2 Duo E8500 (3.16GHz 6MB), 2GB DDR3, 640GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 821MB, DVD RW Super Multi, Card Reader multiformato, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Windows® XP Professional (Dual Load) - Office Ready - vPRO	P0.IKE7Z.PCZ	EUR 693.00	
Acer Veriton M670G Windows® 7 Professional Autentico , Intel Core 2 Quad Q9300 (2.5GHz 6MB), 3GB DDR3, 2x320GB (RAID1) SATA-II, VGA NVIDIA GT120 (1024MB DDR2) fino a 2303MB Total Memory uscite D-sub, DVI e HDMI, DVD RW Super Multi, Card Reader multiformato, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Windows® XP Professional (Dual Load) - Office Ready - vPRO	P1.I3M71.PLZ	EUR 817.00	
Acer Veriton M670G Windows® 7 Professional Autentico , Intel Core 2 Quad Q9300 (2.5GHz 6MB), 3GB DDR3, 2x320GB (RAID1) SATA-II, VGA NVIDIA GT120 (1024MB DDR2) fino a 2303MB Total Memory uscite D-sub, DVI e HDMI, DVD RW Super Multi, Card Reader multiformato, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Windows® XP Professional (Dual Load) - Office Ready - vPRO	P0.I3M71.PLZ	EUR 817.00	

Acer Veriton M67WS

Caratteristiche Principali

- Windows7 Professional
- Intel® Core™2 Quad processor con Intel® vPro™ Intel® Core™2 Duo processor con Intel® vPro™ Intel® Core™2 Quad processor Intel® Core™2 Duo processor
- Intel® Q45 Express chipset with ICH10DO
- nVidia Quadro work station graphics Options of low, mid and high end PCIe cards: nVidia Quadro NVS290 nVidia Quadro FX570 nVidia Quadro FX1700

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Schede video nVidia Quadro Workstation
- Rispetta l'ambiente
- Veriton Control Center

Specifiche Tecniche

Sistemi Operativi supportati	Windows® 7 Professional Autentico
	Windows® XP Professional Autentico
CPU & Chipset	Intel® Core™2 Quad processor with Intel® vPro™ Intel® Core™2 Duo processor with Intel® vPro™ Intel® Core™2 Quad processor Intel® Core™2 Duo processor
	Intel® Q45 Express chipset with ICH10DO
Alloggiamenti Storage	2 x external 5.25"drive bays
	6 x 3.5"bays (two external, four internal)
Interfaccia di rete	Embedded Intel 82567LM gigabit ethernet
Memoria di sistema	4 x DDR3 1066MHz dual channel SDRAM
Interfacce di Input/Output (I/O)	2 x PS/2 ports
	1 x RS232 serial port
	1 x DVI-D video port
	1 x VGA (D-sub) video port
	10 x USB 2.0 ports (four front, six rear)
	1 x Gigabit ethernet (RJ-45) port
	6 x rear audio jacks for 7.1 channel high definition audio
	High definition headphone and microphone jacks - front and rear
Espandibilità Input/output (I/O)	1 x PCI Express® 2.0 x1 slot
	1 x PCI Express® 2.0 x16 slot
	2 x PCI v2.3 (5 V) slots
	1 x LPT parallel port connector
Scheda grafica	Intel® Q45 on-board graphics solution, featuring: - Intel® Graphics Media Accelerator 4500 - Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) support - Microsoft® DirectX® 10 support
Audio	Embeded high-definition audio with 7.1 channel Realtek ALC888S-VC2 audio CODEC
Tastiera e Mouse	PS/2 or USB keyboard and optical mouse
Monitor	Options of 17"or 19"(4:3 or 16:9) Acer LCD
Sicurezza	Acer eLock Management
	Embedded TPM solution with Acer TPM-based eDataSecurity Management software
	One Button Recovery
	Padlock and Kensington lock slot
Dimensioni	180(W) x 352(D) x 440(H)mm
Software di gestione	Acer Empowering Technology
	Free anti-virus 60 day trial
	Intel® vPro and Active Management Technology 5.0 (Intel® AMT 5.0)
	Microsoft Office 2007 (Ready/Trial) Service Pack 1
	Cyberlink® PowerDVD™
	NTI Media Maker
	Veriton ControlCenter (QuickMigration, PowerSaver, SmartBoot, HelpDesk)
	Acer Security Suite with Wave® EMBASSY® Trust Suite
	Intel® Matrix Storage Manager 8.5
	Adobe® Reader®
Garanzia	3 anni (1 anno On Site, 2 anni Carry In)
Standard industriali	BIOS compatible with SMBIOS 2.5, PC 2001, ENERGY STAR® 4.0, EPEAT, Intel® vPro™ (Intel® AMT 5.0), GS
Alimentatore	300W
Certificazioni	CE, FCC, CB, MET, Nemko (CB & Bauart)

Modello	Part Number	Listino	
Acer Veriton M67WS Windows® 7 Professional Autentico (64bit), Intel Core 2 Quad Q9400 (2.66GHz 6MB), 8GB DDR3, 1TB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator 4500 (on-board) fino a 1342MB, DVD RW Super Multi, Card Reader multiformato, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Windows® XP Professional (Dual Load) - Office Ready - vPRO	P0.OBH7Z.PP1	EUR 878.00	
Acer Veriton M67WS Windows® 7 Professional Autentico (64bit), Intel Core 2 Quad Q9400 (2.66GHz 6MB), 4GB DDR3, 1TB 7200RPM SATA-II, VGA Quadro FX570 PCIe 16x (256MB) fino a 1663MB Total Memory uscite Dual DVI-I, DVD RW Super Multi, Card Reader multiformato, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Windows® XP Professional (Dual Load) - Office Ready - vPRO	P0.OBR76.PP1	EUR 1123.00	